


Please Note: Fabrication will not begin until this drawing is approved, signed and returned to HCI

- ☐ APPROVED  
☐ APPROVED AS NOTED  
☐ REJECTED  
☐ REVISE AND RESUBMIT

By \_\_\_\_\_

Date \_\_\_\_\_



(C) 2001 HCI (Heritage Casting & Ironworks). Illustrations are copyrighted. Unauthorized reproduction prohibited. In an ongoing effort to improve quality/design, Heritage reserves the right to modify specifications without notice.

**Diffuser Type:** Textured with polished brass decorative ring around the "globe".

**Diffuser Material:** Polycarbonate U.V. stabilized.

**Hardware:** Stainless steel.

**Luminaire Housing:** Cast aluminum with four screws.

**Ballast:** HPS or MH high power factor mounted on removable plate. A quick disconnect wiring system allows for fast easy ballast maintenance.

Wattage - 50W to 175W  
Voltage - 120V to 347V  
Socket - Mogul or medium

**Optical System:** Prismatic heat resistant borosilicate glass refractor.

**Light Distribution:** IES Type III or V.

**Photocontrol:** None

**Tenon info:** 3"H x 3"OD or 3"H x 4" OD available.

**Finish:** Electrostatically applied thermoset polyester powder-coat with the XL4 four part corrosion inhibiting process.

**Colour:** PLEASE SPECIFY

## Approval Drawing

Luminaire: F102B-L - Series

Date: Mar. 14, 2002 Drawing No: 4054

Model: F102B-L-B3-CPC-XXX-XXX  
XXX

Project: City of Delray Beach

Please Note: Fabrication will not begin until this drawing is approved, signed and returned to HCI



1280 Fewster Drive, Mississauga, Ontario, Canada L4W 1A4  
Tel: (905) 238-2648 Fax: (905) 238-9060  
Toll Free Canada & USA 1-800-267-3175  
E: sales@hclighting.com WEB: www.hclighting.com