
Please Note: Fabrication will not begin until this drawing is approved, signed and returned to HCI APPROVED APPROVED AS NOTED REJECTED REVISE AND RESUBMIT By Date



(C) 2001 HCl (Heritage Casting & Ironworks). Ilustrations are copyrighted. Unauthorizedreproduction prohibited. In an ongoing effort to impove quality/design, Heritage reserves the right to modifity specyfications without notice

Approval Drawing

Light Std: F104-S- A317MOD-1 -P436-4P

Diffuser Type: Clear Globe 16" DIA

Diffuser Material: Acrylic

U.V. stabilized.

Optical System: Borosilicate glass

refractor. IES Type V.

Diffuser Holder Material: Cast Aluminum.

with four screws.

Ballast: HPS high power factor mounted on removable plate. A quick disconnect wiring system allows for fast easy ballast maintenance.

Wattage - 100W

Voltage -VOLT (PLEASE PROVIDE)

Socket - Medium (4KV).

Arm Configuration: 1A

Pole: 4"O.D. x .226 wall 6061 T6 aluminum extrusion tube welded over and in a 8.5" diacast aluminum

base.

Base Cover: Two piece attached to pole with four stainless steel screws.

Anchor bolts: 4 galvanized 19mm (3/4") x 610 mm (24") long.A steel bolt circle template is supplied by HCI

Finish:Electrostatically applied, thermoset polyester powder-coat finish with XL4 four part corrosion inhibiting process.

Colour: PLEASE SPECIFY

Date: Nov.6, 2002 Drawing No: 4259A

Model: F104-S-D4-CAC-100HPS-VOLT-BR-5-A317MOD-1- P436-4P-12-COLOR

Project: SW METRO EDEN PRAIRIE

Please Note: Fabrication will not begin until this drawing is approved, signed and returned to HCI



1280 Fewster Drive, Mississauga, Ontario, Canada L4W 1A4
Tel: (905) 238-2648 Fax: (905) 238-9060
Toll Free Canada & USA
E: sales@hcilighting.com WEB: www.hcilighting.com